Smartkote

SAFETY DATA SHEET

Safekote WB

Prepared in accordance with European Regulation 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS
Trade name: Safekote WB
Product No: 08
Print date: 20.05.2021
Version: 2.0/EN
Page 1 of 7
Revision date: 20.05.2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier** Trade name: SAFEKOTE WB

Other means of identification: product code: e.g.: 92W05L, 92W88L etc. depending on colour. Hazard components for labelling: none.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance: Water-based polyurethane coating
- 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zest Polyurethanes Alternator Avenue, Montague Gardens, Cape Town, South Africa, 7441, Tel: +27 (021) 555-3090 Further information obtainable from: The Technical Manager, Zest Polyurethanes. Email: zest@duram.co.za
- 1.4 Emergency telephone number: The Technical Manager, Zest Polyurethanes, Tel: +27 (021) 555-3090 (GMT 10:00-18:00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture – according to Regulation (EC) No 1272/2008 [CLP] Mixture. Flammable Liquids – Not classified.

Skin Corrosion – mild irritant Specific Target Organ Toxicity (Single Exposure); (Respiratory Tract Irritation) – Not classified.

Percentage of the Mixture consisting of ingredient(s) of Unknown Hazards to the Aquatic Environment: Less than 5%

2.2 GHS Label elements

Hazard Pictograms



Signal Word: Warning

Hazard Statements:

H302 – Harmful if swallowed. H315 – Causes skin irritation

Precautionary Statements: (Prevention): P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements: (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do - continue rinsing.

Precautionary Statements: (Storage):

P403 + P233 Store in a well ventilated place. Keep container tightly closed.

Precautionary Statements: (Disposal):

P501 Dispose of contents/container to landfill site after solidification.

Labelling of special preparations: (GHS): Not applicable.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

2.3 Other hazards

<u>According to Regulation (EC) No 1272/2008 [CLP]</u> No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Chemical characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions

Hazardous ingredients (GHS) according to Regulation (EC) No 1272/2008 [CLP]			
No CAS number.	Synthetic copolymer solution, water-based	Not applicable. Polymer, non-hazardous.	30 –40% by mass
CAS: 2687-91-4	N-ethyl-2-pyrrolidone	H227, H318, H360	<4.0% by mass
CAS: 121-44-8	Triethylamine	H315, H319, H332, H335	< 0.2% by mass

SECTION 4: FIRST AID MEASURES

- 4.1 Description of first aid measures After skin contact: Use hand cleaner/soap and water. Remove contaminated clothing. If skin irritation continues, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After inhalation: Move to fresh air. In case of any discomfort, seek medical attention immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No important symptoms.
- 4.3 **Indication of any immediate medical attention and special treatment needed** If ingested, do not induce vomiting. Seek immediate medical attention.

SECTION 5: FIRE FIGHTING MEASURES

5.1 **Extinguishing media** Suitable extinguishing agents: Foam. Carbon dioxide. Dry powder. Fog to cool and control. Unsuitable extinguishing agents, for safety reasons: None.

- 5.2 Special hazards arising from the substance or mixture
- None 5.3 Advice for firefighters

Wear protective equipment and respirators. Blown or distorted containers should be handled with extreme caution.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions Do not allow to enter drains or sewers / surface or ground water.
- 6.3 **Methods and material for containment and cleaning up** Absorb with liquid binding material (sand, diatomite, sawdust.)
- 6.4 Reference to other sections
 See section 7 for information on safe handling.
 See section 8 for information on personal protection equipment.
 See section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Information about protection against fire and explosion: Water-based, non-flammable.

7.2 Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Store away from water-sensitive materials, protect from frost. Further information about storage conditions: Keep containers tightly sealed.

7.3 Specific end use(s)

Open with care. Cover lid / bung with a cloth if hot while releasing pressure.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities: Adequate ventilation. See items 7.1 and 7.2.

8.1 Control parameters

Ingredients with limit values that require monitoring in the workplace: Monitoring is not required. The product has no quantities of materials with critical values. None.

8.2 Exposure controls

General protective and hygiene measures: Wash hands before breaks and at the end of work.

Personal protective equipment:



Respiratory protection:

A cartridge-type respirator with cartridge for organic fumes is essential for spraying operations.

Eye protection: Wear tightly sealed goggles or face shield.

Hand protection: Wear nitrile rubber gloves.

Material of gloves: The selection of suitable gloves also depends on marks of quality, which vary from manufacturer to manufacturer. The resistance of the glove material cannot be calculated in advance and therefore has to be checked prior to the time of application.

Penetration of glove material: Observe the exact breakthrough time supplied by the manufacturer. Skin protection: Wear overalls and safety boots.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information

Appearance	Þ٠
Appearance	σ.

Physical state Colour Odour	Liquid Various Amine-like
Odour threshold	Not determined
pH value:	7.0 - 8.0
Change in condition:	
Melting point/Melting range	ca. 0 °C
Boiling point/Boiling range	100 °C
Flash point	Not applicable
Flammability (solid, gaseous)	Not applicable.
Ignition temperature	Not applicable
Decomposition temperature	Not determined
Self-igniting	Product is not self-igniting.
Danger of explosion	Product does not present an explosion hazard

Not determined Not determined 23 hPa 1.01 g/cm³ 1.01 (water = 1.00) Not determined Not determined

Not determined

Not determined

< 4.0 % by mass

35-50 % by mass

50 - 65 % by mass

Not miscible, reacts with water

70 - 90 KU (Krebs units)

Explosion limits:

Viscosity:

Dynamic at 20 °C Kinematic

Solvent content:

Organic solvents Water Solids content

9.2 Other information

No further relevant information available.

VOC (EU) VOCV \leq 40 g/L \leq 4.12 % by volume

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Not reactive.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Stable if stored under normal conditions.

10.4 Conditions to avoid

When exposed to abnormally high temperatures containers will bulge and possibly burst.

10.5 Incompatible materials

None known other than water-sensitive materials.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity: LD₅₀ / LC₅₀ values relevant for classification:

N-ethyl-2-pyrrolidone:		Triethylamine:	
Oral (LD ₅₀)	3200 mg/kg (rat)	Oral (LD ₅₀)	460 mg/kg (rat)
Dermal (LD ₅₀)	> 2000 mg/kg (rat)	Dermal (LD ₅₀)	570 mg/kg (rabbit)
Inhalation (LC ₅₀)	>5.1 mg/ℓ / 4 hours (rat)	Inhalation (LC ₅₀)	No information

No carcinogenic, mutagenic, or genetic effects have been established.

Primary irritant effect: Skin and eyes.

N-ethyl pyrrolldone	
On the skin	Not an Irritant.
On the eyes	Risk of eye damage.
Orally	Low toxicity.
Through inhalation	Harmful. Can irritate the respiratory tract and cause headaches and giddiness. Sensitisation: no sensitisation effects noted.
Tri-ethyl amine	
On the skin	Irritant.
On the eyes	Hazardous Risk of serious eye damage.
Orally	Slightly hazardous.
Through inhalation	Harmful.
Sensitisation	Sensitisation not indicated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Not harmful to aquatic environment. None of the components is persistent in the aquatic environment.

12.2 Persistence and degradability

Biodegradable. Once solidified, can be disposed of in landfill sites (consult local regulations).

12.3 Bioaccumulative potential

Not bioaccumulative.

12.4 **Mobility in soil** Low mobility.

Additional ecological information:

General notes: Not generally considered to be harmful to terrestrial vertebrates. May have short-term environmental effects. Contain, monitor and remove.

12.5 Results of PBT and vPvB assessment

Not applicable.

12.6 Other adverse effects

No further relevant information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recommendation: Solidify by evaporation of the water content before disposal. Rinse used containers well. Consult local official regulations.

European waste catalogue		
08 00 00Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks.		
08 01 00	Wastes from MFSU and removal of paint and varnish.	
08 01 11	Waste paint and varnish containing organic solvents or other dangerous substances.	

Uncleaned packaging

Recommendation: Leave container unsealed for 3 to 4 days to solidify by evaporation. Once solid, container may be disposed of in a landfill site. Disposal must be made according to official regulations.

14.1 **UN-Number** ADR, IMDG, IATA

Not Applicable

14.2 UN proper shipping name

ADR	Not Applicable
IMDG, IATA	Not Applicable

14.3 Transport hazard classes

ADR		IMDG, IATA	
No icon		No	icon.
Not hazardous.		Not hazardous.	
Class	Not regulated	Class	Not regulated
Label	void	Label	void

	IMO class: EA code: HAZCHEM code:	void void void	
14.4	Packing group ADR, IMDG, IATA		void
14.5	14.5 Environmental hazards Marine pollutant:		ND (Not Dangerous)
14.6	Special precautions to Danger code (Kemler) EMS Number:		void void
14.7	14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		Not applicable
	Transport/Additional in	formation:	For ADR and IMDG: Transport and packing are in accordance with the regulation for limited quantities. This product is therefore non-dangerous goods.
	ADR		

Limited quantities (LQ)	1 L, 4 L and 5L
Transport category	not regulated

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Compliant with REACH, CLP and GHS.

15.2 Chemical safety assessment

Chemical Safety Assessment not yet performed due to registration timelines. Exposure scenarios for the mixture cannot be provided at the moment because exposure scenarios are not yet available for all relevant substances due to registration timelines. For advice on essential measures see sections 7 and 8 of this safety data sheet.

SECTION 16: OTHER INFORMATION

WATER-BASED PAINT. PROTECT FROM FROST. IN CASE OF ANY DISCOMFORT FROM CONTACT WITH THE MIXTURE, ALWAYS SEEK MEDICAL ADVICE.

H phrases appearing in this document:

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H312 + H332: Harmful in contact with skin or inhaled
- H318 Causes serious eye damage
- H227 Combustible liquid
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H360 May damage the unborn child. Suspected of damaging fertility

Notice to Reader

Important Note: The information contained in this Data Sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and is believed to be correct at the date of its preparation. It is the user's responsibility to verify that this data sheet is current prior to using the product in which is detailed in it

Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to its use. Where those purposes are other than as specifically recommended in this safety data sheet, the user then uses the product at their own risk

Manufacturer's Disclaimer: The Conditions methods and Factors effecting the handling, storage, application, use, misuse or disposal of the product are not under the control or knowledge of the Manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events that may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law the manufacturer expressly disclaims liability for any and all losses, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.